

0890 22 - WURTH COCKPIT CLEANER

INGREDIENTS	CAS No	%	TWA
n-hexane	110-54-3	1-5	20 ppm
naphtha petroleum, light, hydrotreated	64742-49-0.	10-25	500 ppm
isopropanol	67-63-0	1-20	400 ppm
isohexanes	73513-42-5	1-20	500 ppm

UN No: 1950
 Hazchem Code: 2Y
 DG Class: 2.1
 Subsidiary Risk: None
 Poisons Schedule: None

PROPERTIES

Liquid.
 Gas.
 Does not mix with water.
 Floats on water.

HEALTH HAZARD INFORMATION

Acute Health Effects:
 Irritating to eyes.
 Can be absorbed through skin.
 Vapours may cause dizziness or suffocation.
 Vapours may cause drowsiness and dizziness.
 Inhalation, skin contact and/or ingestion may produce health damage*.
 May produce discomfort of the respiratory system and skin*.
 * (limited evidence).

Chronic Health Effects:
 Possible risk of impaired fertility.
 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
 Exposure may produce irreversible effects*.
 Cumulative effects may result following exposure*.
 * (limited evidence).

FIRST AID

Swallowed:
 Give water (if conscious). Seek medical advice.

Eye:
 Wash with running water (15 mins). Medical attention.

Skin:
 Wash with soap & water. Apply cleansing cream.

Inhaled:
 Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.

PRECAUTIONS FOR USE

Engineering Controls:
 General Exhaust Ventilation adequate.

Glasses:
 Chemical goggles.

Gloves:
 1.NITRILE 2.NITRILE+PVC 3.PVC

Respirator:
 Type AX Filter of sufficient capacity

Flammability:
 Extremely flammable.

SAFE HANDLING INFORMATION

Storage & Transport:
 Keep container tightly closed.
 Keep container in a well ventilated place.
 Keep away from food, drink and animal feeding stuffs.
 Store in cool, dry, protected area.

Spills & Disposal:
 Eliminate ignition sources.
 Prevent from entering drains.
 Contain spillage by any means.
 Absorb with dry agent.
 Stop leak if safe to do so.
 Take off immediately all contaminated clothing.
 To clean the floor and all objects contaminated by this material, use water and detergent.
 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Fire/Explosion Hazard:
 Highly flammable.
 Toxic smoke/fumes in a fire.
 Risk of explosion if heated under confinement.

Fire Fighting:
 Keep containers cool.
 Water spray/fog.

ADVICE TO DOCTOR

Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin.

