

2010 IS F Product Information

| Notes: Items in bold are new for 2010. | | |
|---|-----------|--|
| EXTERIOR DIMENSIONS | | |
| Wheelbase | 107.5 in. | |
| Overall Length | 183.5 in. | |
| Overall Width | 71.5 in. | |
| Overall Height (unloaded) | 55.7 in. | |
| Tread Width - Front | 61.4 in. | |
| - Rear | 59.6 in. | |

| INTERIOR DIMENSIONS | | |
|---------------------|------------|--------------------------------------|
| Seating Capacity | | 4 |
| Headroom | - Front | 37.2 in. (39.0 in. without moonroof) |
| | - Rear | 36.7 in. (36.9 in. without moonroof) |
| Legroom | - Front | 43.9 in. |
| | - Rear | 30.6 in. |
| Shoulder Roo | om - Front | 54.4 in. |
| | - Rear | 52.7 in. |
| Hip Room | - Front | 54.1 in. |
| | - Rear | 53.7 in. |
| EPA Passen | ger Volume | 85.7cu. ft. (88.3 without moonroof) |
| EPA Cargo V | olume | 13.3 cu. ft. |

| WEIGHTS AND CAPACITIES | | |
|----------------------------------|------------|--|
| Curb Weight | 3,780 lbs. | |
| Weight Distribution (front/rear) | 54/46 | |
| Fuel Capacity | 16.9 gal. | |



2010 IS F Product Information

| Notes: Items in bold are new for 2010. | |
|---|---|
| ENGINE | |
| Type, Materials | V8, 90-degree with aluminum block and cylinder heads |
| Designation | 2UR-GSE |
| Valvetrain | DOHC, 32- valve, Intake camshaft Electric Variable Valve Timing with intelligence (VVT-iE, Exhaust camshaft Hydraulic Variable Valve Timing with intelligence (VVT-i) |
| Displacement | 5.0 liters (4,969 cm ³ /303.2 cu. in.) |
| Bore x Stroke | 3.70 in. x 3.52 in. |
| Compression Ratio | 11.8:1 |
| Horsepower (SAE) | 416 @ 6,600 rpm |
| Torque | 371 lbft. @ 5,200 rpm |
| Maximum Engine Speed (redline) | 6,800 rpm |
| Fuel System | SFI D-4 direct-to-cylinder injection with secondary port injectors |
| Fuel Requirement | Premium 91 octane unleaded |
| Emission Certification | ULEV II |

| DRIVETRAIN | 1 | |
|-----------------|-----------------|--|
| Layout | | Front engine, rear-wheel drive |
| Transmission | Туре | 8-speed Sport Direct Shift automatic with paddle shift and manual mode |
| Designation | | AA80E |
| Gear Ratios | 1 st | 4.596 |
| | 2 nd | 2.724 |
| | 3 rd | 1.863 |
| | 4 th | 1.464 |
| | 5 th | 1.231 |
| | 6 th | 1.000 |
| | 7 th | 0.824 |
| | 8 th | 0.685 |
| | Rev. | 2.176 |
| Differential Ge | ear Ratio | 2.937 |
| Rear Different | tial Type | TORSEN [®] Limited Slip |



2010 IS F Product Information

Notes: Items in **bold** are new for 2010.

| CHASSIS AN | ID BODY | |
|----------------|---------------------------------|--|
| Body/Frame | | Unitized steel body with steel front and rear subframes |
| Suspension | - Front | Double wishbone with high-mount upper arms, high-rate coil springs w/ bound stopper, monotube gas-filled shock absorbers, large-diameter hollow stabilizer bar |
| | - Rear | Multilink with low-mount upper arms, high-rate coil springs w/bound stopper, monotube gas-filled shock absorbers, large-diameter stabilizer bar |
| Steering | - Type | Electric Power Steering (EPS): Vehicle speed-sensing coaxial rack and pinion, power assist, F sport mode adjustable |
| | - Overall Ratio | 13.6 |
| | - Turns (lock to lock) | 2.91 |
| | - Turning Circle (curb to curb) | 33.5 ft. |
| Brakes | - Type | Four-wheel power-assisted disc brakes (Brembo manufactured for Lexus) with Anti-lock Braking System (ABS) and Electronic Brake force Distribution (EBD) and Brake Assist |
| | - Front | 14.2-in. drilled rotors with six-piston opposed aluminum calipers, high-friction brake pads |
| | - Rear | 13.6-in. drilled rotors with two-piston opposed aluminum calipers, high-friction brake pads |
| Anti-lock Brak | ring System | 4 channel, 4 sensor |
| Wheel Size/T | уре | 19 x 8 in. front / 19 x 9 in. rear; forged aluminum (BBS manufactured for Lexus) |
| Tire Size/Type | 9 | 225/40R19 93Y front – 255/35R19 96Y rear; developed for IS F |
| Spare Tire an | d Wheel | T135/70R18 103M |
| Tire Brands | | Bridgestone Potenza, Michelin Pilot Sport PS2 (both built to IS F spec) |

| PERFORMANCE | |
|---|-----------|
| 0-60 mph Acceleration (manuf. results) | 4.6 sec. |
| Top Track Speed (mfg. estimates – electronically limited) | 170 mph |
| 0-1/4 Mile Acceleration (manuf. results) | 13.0 sec. |
| 2010 EPA Estimated Fuel Economy* city/highway mpg | 16/23 |
| Coefficient of Drag (Cd) | 0.30 |

^{*2010} EPA MPG estimate. Actual mileage will vary.



STANDARD EXTERIOR FEATURES

Overall Exterior Styling/Body Design

- 19-inch forged aluminum wheels manufactured for Lexus by BBS
- · "F" badging on front fenders and right-rear trunk area
- Adaptive Front lighting System (AFS)
- Bi-xenon HID, auto-leveling headlamps
- Color-keyed electrochromic outside rearview mirrors with memory
- Distinctive F marque styling cues with two-inch wider fenders, taller hood, enlarged brake cooling vents, front fender vents, larger rocker panels and an enlarged rear spoiler
- Dual-polished stainless-steel exhaust diffusers integrated into the bumper in a trapezoidal position
- Fog lamps
- Larger V-shaped grille with trapezoidal-shaped bumper, distinctive mesh grille and lower intake
- LED brake, tail and license plate lamps
- Puddle lamps (mounted on underside of outer mirrors)
- Shark fin antenna for XM[®] satellite radio (complimentary 90-day trial subscription)
- · Top shade/tinted glass on front windshield
- Ultraviolet and infrared ray reducing glass on all windows

Body Structure and Paint

- · Acoustic glass windshield to help reduce noise
- Bolt-fastened front/rear crash box structures help reduce damage and cost in light collision
- Braces attached forward of rear sub-frame provide torsional and transverse rigidity
- Exterior colors (6): Starfire Pearl, Obsidian, Smoky Granite Mica, Matador Red Mica, Mercury Metallic, Ultrasonic Blue Mica
- Flush surface body panel and glass
- Foam material in side members/pillars, and hidden windshield frame used to reduce wind noise
- High-tensile strength sheet metal used on 40 percent of the body for light-weight rigidity
- Narrow and precise body panel gaps
- One-piece color-keyed Super Olefin Polymer front and rear bumpers
- Rust resistant steel used on main body parts
- Resin rocker moldings assist durability and chip resistance on lower body panels
- Stainless steel exhaust system
- Use of rigid, low density foam sound dampening asphalt sheets reduce NVH

Convenience Features

- Fuel cap hanger
- Heated outside rearview mirrors
- Heavy duty rear window defogger with timer
- Rain-sensing wipers
- Variable intermittent wipers with mist cycle



STANDARD INTERIOR FEATURES

Interior Trim

- Blue accents exclusive to "F" marque
- Blue leather-trimmed insert on steering wheel for black and two-tone Alpine interior
- Fabric sun visors and headliner
- Hand-finished aluminized composite trim
- Leather trimmed interior with "F" logo embroidered in sides of seat cushions
- One-piece cut pile carpeting
- Piano black center cluster and door trim finish (w/NAV)
- Terracotta leather-trimmed shift knob for Terracotta two-tone interior
- Two front and two rear articulating assist grips
- Two-tone interior (Terra Cotta/Black, Alpine)

Seats

- 10-way power front sport seats, including power lumbar support, and three-position memory for driver and front passenger
- Heated front seats
- · Height adjustable front shoulder belt anchors
- Leather-trimmed Sport Seats with enhanced lateral support, four-seat sport configuration; "F" badging on console and side of each seat
- Rear seat trunk pass through

Instrumentation and Controls

- Audible alert when reaching rpm limit
- Automatic climate control display: speed and air flow indicators
- Battery, oil level, seat belt, brake, airbag SRS, engine, low fuel, EPS, AT oil temp, ABS, tire pressure and tire slippage warning lights
- Door open, TRAC off, high beam, hazard, AFS off, Snow and cruise control indicator lights
- "F" logo displays on multi-information display and speedometer and tachometer needles sweep across their dials when system is powered
- "F" unique blue LED illuminated needles on speedometer and tachometer
- Fog lamp indicator
- Headlights-on indicator in instrument panel
- Illuminated outside mirror button controls
- Illuminated "TEMP" label on center cluster
- Instrument panel center cluster
- LCD shift indicator display in center of meter cluster with engine oil temperature gauge and volt meter
- LCD-type electronic digital twin trip meters and odometer display
- LED illuminated air vent dials
- Multi-information display with a choice of outside air temperature, cruise range if engaged, average fuel consumption, average fuel consumption after re-fueling, instantaneous fuel consumption, average vehicle speed or gear selection (in D mode)
- Optitron speedometer and tachometer gauges, fuel and coolant temperature gauges, and unique digital oil temperature and voltage gauges
- Power outside mirror control
- SPORT indicator light when in sport mode



STANDARD INTERIOR FEATURES - CONT.

Convenience Features

- Aluminum scuff plates
- Articulating assist grips (two front/two rear)
- Cigarette lighter, front ashtray
- Coin holder
- Console mounted dual rear cup holders
- Covered center console storage box
- Cruise control
- Door courtesy lights, glove box light and trunk light
- Dust/pollen interior air filter
- Electronic remote, illuminated trunk lid and fuel-filler door releases
- First aid and tool kits
- Foldable rear headrests
- · Front and rear dome light and individual LED map lights integrated into headliner
- Front center armrest
- HomeLink[®] programmable garage door opener
- Inside auto-dimming electrochromic rearview mirror with compass
- Lexus Personalized Settings (LPS) to allow certain electronic settings to be tailored to owner preference (programmable by Lexus dealers)
- One front cup holder located behind the shift lever and one cup holder in the center console
- Power door locks with anti lock-out
- Power tilt and telescoping adjustable steering wheel with memory
- Power windows with one-touch up/down and jam protection
- Rear seat center console in four-seat configuration
- Retained accessory power for operation of power windows and moonroof
- · Retractable coat hooks
- SmartAccess keyless entry with push-button start
- Sound-absorbing sun visors with vanity mirrors
- Speed-sensitive, shift-linked automatic door lock/unlock

STANDARD AUDIO SYSTEM

Lexus Premium Audio system

- 13 speakers with high-power amplifier
- AM/FM ETR and six-disc in-dash CD changer
- Digital signal processing with Automatic Sound Levelizer (ASL)
- Electronic crossover network
- MP3/WMA auxiliary audio and iPod[®]/USB plugs
- Rear glass-imprinted radio antenna with separate FM diversity antenna
- Bluetooth® with streaming audio capability
- Theft-deterrent design
- Integrated XM[®] Satellite Radio receiver (complimentary 90-day trial subscription)



STANDARD SAFETY AND SECURITY

Safety

- Automatic Locking Retractor (ALR) and Emergency Locking Retractor (ELR) function for all positions except driver (driver's only equipped with ELR)
- Child Restraint Seat (CRS) top tether anchor brackets (adopted to comply with phase-in of the new CRS Anchorage Points Regulation)
- Collapsible steering column
- Daytime Running Lights (DRL)
- Direct Tire Pressure Monitoring System
- Dual-stage driver's and front passenger's airbag Supplemental Restraint System (SRS)
- Driver and front passenger knee airbags SRS
- · Front and rear door side impact beams
- Front and rear energy-managing crumple zones
- Front and rear side curtain airbags SRS
- Front seat-mounted side airbag SRS
- Front ventilated and rear ventilated disc brakes with single brake booster and four-sensor, four-channel Antilock Braking System (ABS) with Electronic Brake-force Distribution (EBD) and Brake Assist (BA)
- Impact absorbing door and body construction
- Impact-dissipating soft upper headliner and pillars
- Three-point belts for all seating positions, front and rear with force-limiting pretensioners; height adjustable front shoulder belt anchors
- Traction Control (TRAC)
- Vehicle Stability Control (VSC)
- Vehicle Dynamics Integrated Management (VDIM) with cut-off switch and both Normal and Sport modes [integrates VSC, TRAC, ABS, EBD, BA, and throttle input]

Security

- Entry system with lock, two-stage unlock, trunk open and "panic" features, volume-adjustable confirmation tone and rolling code technology
- Headlight-off delay feature (after closing/opening the door, headlights remain illuminated for approximately 30 seconds before automatically shutting off)
- Multifunction in-key remote
- Remote-activated, SmartAccess-linked illuminated entry (dome-light ring illuminates when doors are unlocked, remains illuminated for 15 seconds or until door is opened)
- Safety Connect™ with Automatic Collision Notification, Stolen Vehicle Location, Emergency Assist Button, and Enhanced Roadside Assistance (complimentary one-year trial subscription included)
- Vehicle theft-deterrent system with engine immobilizer





FACTORY OPTIONS

- Headlamp cleaner
- Intuitive Park Assist (IPA)
- Lexus HDD Navigation System
 - Enhanced Bluetooth® with phonebook download
 - Lexus Enform™ with SafetyConnect™: Automatic Collision Notification, Stolen Vehicle Location, Emergency Assist Button (SOS), Enhanced Roadside Assistance, Destination Assist, and eDestination (complimentary one-year trial subscription)
 - Lexus Insider[™]
 - Rear back-up camera
 - Seven-inch LCD VGA touch screen
 - Voice command casual-language recognition
 - XM NavTraffic[®]/NavWeather™ (complimentary 90-day trial subscription)
 - XM[®] Sports and Stocks (included with XM[®] radio subscription)
- Mark Levinson[®] Premium Surround Sound system (AM/FM tuner, in-dash 6-DVD/CD changer, 14 speakers, advanced discrete amplifier design with 300 watts continuous power at less than 0.1% THD from 20 to 20,000 Hz, 7.1-channel speaker architecture)
- Moonroof delete option
- Pre-Collision System (PCS) with Dynamic Radar Cruise Control