

Subject		Market
Oil Viscosity Applicability and Change Interval Guide		USA
Service Category	Section	
General	Maintenance	
Applicability		
All Models		

APPLICABLE VEHICLES

2010 – 2012 Model Year Vehicles

CONDITION

Starting with the 2010 Model Year, Lexus began a gradual transition to the use of synthetic 0w-20 viscosity engine oil. There are multiple benefits of this oil, including:

- Reduced friction and wear on engine surfaces
- Improved fuel economy
- Reduction in waste oil stream (in vehicles approved for 10,000 mile oil change intervals)
- Reduced maintenance cost (in vehicles approved for 10,000 mile oil change intervals)

Due to the improved performance and durability of 0w-20 synthetic oil, Lexus has extended the oil change intervals to 10,000 miles for vehicles that require this oil. With this change, the following should be noted:

- Only Lexus vehicles in which 0w-20 oil is mandatory have been approved for extended oil change intervals.
- Vehicles in which 0w-20 is an option to 5w-20 (or 5w-30) will continue to require 5,000 mile change intervals, even if 0w-20 oil is used.
- In the case of vehicles with 10,000 mile oil change intervals, the 5,000 mile service interval has not been eliminated. The traditional 5,000 mile maintenance procedures (such as tire rotation) will continue to be required, and the fluid levels (including engine oil) will need to be checked and adjusted at this time.
- If the vehicle operation meets the standard criteria for “Special Operating Conditions” such as: driving off-road, on dirt roads, towing a trailer, making repeated short trips under 32° F, or extensive idling; the engine oil must be replaced at 5,000 mile intervals, regardless of oil specified.

Please follow the chart on page 2 to determine the proper oil viscosity, fill quantity, and proper **change** interval for 2010-2012 Model Year Lexus vehicles under non-severe usage.

Subject	Market
Oil Viscosity Applicability and Change Interval Guide	USA
Applicability	
All Models	

RECOMMENDATIONS

Vehicle	Engine	Model Year	Oil	Capacity with Filter Change (quarts)	Oil Change Interval	
CAR	CT 200h	2ZR-FXE	2011-2012	0w-20	4.4	10,000 Miles
	ES 350	2GR-FE	2010-2012	5w-30	6.4	5,000 Miles
	GS 350	2GR-FSE	2010-2011	5w-30	2WD-6.6 AWD-6.7	5,000 Miles
	GS 450h	2GR-FSE	2010-2011	5w-30	6.6	5,000 Miles
	GS 460	1UR-FSE	2010-2011	5w-20 or 0w-20	9.1	5,000 Miles
	HS 250	2AZ-FXE	2010-2012	0w-20	4.5	10,000 Miles
	IS 250 IS 250C	4GR-FSE	2010	5w-30	2WD-6.6 AWD-6.8	5,000 Miles
		4GR-FSE	2011-2012	0w-20	2WD-6.6 AWD-6.8	10,000 Miles
	IS 350 IS 350C	2GR-FSE	2010-2012	5w-30	6.6	5,000 Miles
	IS F	2UR-GSE	2010-2012	5w-30	9.8	5,000 Miles
	LFA	1LR-GUE	2012	NOTE 1	NOTE 2	NOTE 3
	LS 460	1UR-FSE	2010-2012	5w-20 or 0w-20	2WD-9.1 AWD-9.5	5,000 Miles
	LS 600h	2UR-FSE	2010-2012	5w-20 or 0w-20	9.5	5,000 Miles
	SC 430	3UZ-FE	2010	5w-30	5.5	5,000 Miles
TRUCK	GX 460	1UR-FSE	2010-2012	0w-20	8.2	10,000 Miles
	LX 570	3UR-FE	2010	5w-20 or 0w-20	NOTE 4	5,000 Miles
			2011		7.9	5,000 Miles
	RX 350	2GR-FE	2010-2012	0w-20	6.4	10,000 Miles
RX 450h	2GR-FXE	2010-2012	0w-20	6.4	10,000 Miles	

NOTE 1. *Mobile 1* @ 5w-50 API SN or SM.

NOTE 2. Twin oil cooler - 17.9 qts, Single oil cooler - 16.9 qts.

NOTE 3. Maintenance reminder illuminates **or** 6,000 miles **or** Two years since last oil change.

NOTE 4. If Dip Stick Color is Blue - 7.4 qts. If Dip Stick Color is Green - 7.9 qts.